



**Part Number :** [1300910020](#)

**Product Description :** Woodhead Standard Duty Reel, 16/3 SJTOW Cord, 15.24m (50.0') Cord Length with 30W Maximum Low Volt Incandescent Spot Light

**Series Number :** 130091

**Status :** Active

**Product Category :** Electrical Reels

**Engineering Number :** 980-1610S



---

## Documents & Resources

### Drawings

[Drawing 1300910020\\_sd.pdf](#)

---

## Product Environment Compliance

### Compliance

|                    |              |
|--------------------|--------------|
| China RoHS         | Not Reviewed |
| EU ELV             | Not Reviewed |
| Low-Halogen Status | Not Reviewed |
| REACH SVHC         | Not Reviewed |
| EU RoHS            | Not Reviewed |

### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

### Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### EU RoHS Certificate of Compliance

---

## Part Details

### General

|                    |  |
|--------------------|--|
| Status             | Active   |
| Category           | Electrical Reels   |
| Series             | 130091   |
| Description        | Woodhead Standard Duty Reel, 16/3 SJTOW Cord, 15.24m (50.0') Cord Length with 30W Maximum Low Volt Incandescent Spot Light |
| Enclosure Rating   | NEMA 1   |
| NEMA Configuration | NEMA 5-15  |
| Product Family     | Reels - Woodhead   |
| Product Name       | Super-Safeway  |
| Type               | Cord Reel  |
| UPC                | 78678833614  |

### Electrical

|                               |              |
|-------------------------------|--------------|
| Current - Maximum per Contact | 8.0A         |
| GFCI                          | No           |
| Lamp Wattage - Maximum        | 30W          |
| On/Off Switch                 | Yes          |
| Transformer Type              | Reel Mounted |
| Voltage - Maximum             | 120V         |

### Physical

|                |                |
|----------------|----------------|
| Bulb Included  | Yes            |
| Cable Length   | 0.457m (1.50') |
| Cable Movement | Ratchet Lock   |
| Cord Length    | 15.24m (50.0') |
| Cord Type      | 16/3 SJTOW     |
| Depth          | 0.30m (11.75") |
| Drum Lock      | Ratchet        |
| Duty           | Standard       |
| Guide Arm      | 2 - Position   |
| Height         | 0.36m (14.25") |

|                          |                     |
|--------------------------|---------------------|
| Lamp Type                | Incandescent        |
| Material - Coating       | Powder Coating      |
| Material - Housing       | Steel/Polycarbonate |
| Mounting Style           | Rigid               |
| Number of Conductors     | 3                   |
| Packaging Type           | Carton              |
| Primary Cord/Cable Entry | N/A                 |
| Retraction Weight        | 1.4kg (3.0 lb)      |
| Width                    | 196.85mm (7.750")   |
| Wire Size (AWG)          | 16                  |

---

This document was generated on Oct 11, 2023